

Article Title

First Author^{1,2}, Second Author^{2,3} and Third Author^{1,2}

¹Department, Organization, City 100190, Country.

²Department, Organization, City 10587, Country.

³Department, Organization, City 610101, Country.

Abstract

The abstract serves both as a general introduction to the topic and as a brief, non-technical summary of the main results and their implications. Authors are advised to check the author instructions for the journal they are submitting to for word limits and if structural elements like subheadings, citations, or equations are permitted.

Keywords: Keyword1, keyword2, keyword3, keyword4, keyword5

1 Introduction

The Introduction section, of referenced text [1] expands on the background of the work (some overlap with the Abstract is acceptable). The introduction should not include subheadings.

Springer Nature does not impose a strict layout as standard however authors are advised to check the individual requirements for the journal they are planning to submit to as there may be journal-level preferences. When preparing your text please also be aware that some stylistic choices are not supported in full text XML (publication version), including coloured font. These will not be replicated in the typeset article if it is accepted.

2 Results

Sample body text. Sample body text.

3 This is an example for first level head—section head

3.1 This is an example for second level head—subsection head

3.1.1 This is an example for third level head—subsubsection head

Sample body text. Sample body text.

4 Equations

Equations in L^AT_EX can either be inline or on-a-line by itself (“display equations”). For inline equations use the $\$. . . \$$ commands. E.g.: The equation $H\psi = E\psi$ is written via the command $\$H \backslash\psi = E \backslash\psi\$$.

For display equations (with auto generated equation numbers) one can use the `equation` or `align` environments:

$$\|\tilde{X}(k)\|^2 \leq \frac{\sum_{i=1}^p \|\tilde{Y}_i(k)\|^2 + \sum_{j=1}^q \|\tilde{Z}_j(k)\|^2}{p+q}. \quad (1)$$

where,

$$\begin{aligned} D_\mu &= \partial_\mu - ig \frac{\lambda^a}{2} A_\mu^a \\ F_{\mu\nu}^a &= \partial_\mu A_\nu^a - \partial_\nu A_\mu^a + gf^{abc} A_\mu^b A_\nu^a \end{aligned} \quad (2)$$

Notice the use of `\nonumber` in the `align` environment at the end of each line, except the last, so as not to produce equation numbers on lines where no equation numbers are required. The `\label{}` command should only be used at the last line of an `align` environment where `\nonumber` is not used.

$$Y_\infty = \left(\frac{m}{\text{GeV}}\right)^{-3} \left[1 + \frac{3 \ln(m/\text{GeV})}{15} + \frac{\ln(c_2/5)}{15}\right] \quad (3)$$

The class file also supports the use of `\mathbb{R}`, `\mathscr{R}` and `\mathcal{R}` commands. As such `\mathbb{R}`, `\mathscr{R}` and `\mathcal{R}` produces \mathbb{R} , \mathscr{R} and \mathcal{R} respectively (refer Subsubsection 3.1.1).

5 Tables

Tables can be inserted via the normal `table` and `tabular` environment. To put footnotes inside tables you should use `\footnotetext[]{...}` tag. The

footnote appears just below the table itself (refer Tables 1 and 2). For the corresponding footnotemark use `\footnotemark[...]`

Table 1 Caption text

Column 1	Column 2	Column 3	Column 4
row 1	data 1	data 2	data 3
row 2	data 4	data 5 ¹	data 6
row 3	data 7	data 8	data 9 ²

Source: This is an example of table footnote.
This is an example of table footnote.

¹Example for a first table footnote. This is an example of table footnote.

²Example for a second table footnote. This is an example of table footnote.

The input format for the above table is as follows:

```
\begin{table}[<placement-specifier>]
\begin{center}
\begin{minipage}{<preferred-table-width>}
\caption{<table-caption>}\label{<table-label>}%
\begin{tabular}{@{}llll@{}}
\toprule
Column 1 & Column 2 & Column 3 & Column 4\\
\midrule
row 1 & data 1 & data 2 & data 3 \\
row 2 & data 4 & data 5\footnotemark[1] & data 6 \\
row 3 & data 7 & data 8 & data 9\footnotemark[2]\\
\bottomrule
\end{tabular}
\footnotetext{Source: This is an example of table footnote.
This is an example of table footnote.}
\footnotetext[1]{Example for a first table footnote.
This is an example of table footnote.}
\footnotetext[2]{Example for a second table footnote.
This is an example of table footnote.}
\end{minipage}
\end{center}
\end{table}
```

In case of double column layout, tables which do not fit in single column width should be set to full text width. For this, you need to use `\begin{table*} ... \end{table*}` instead of `\begin{table} ... \end{table}` environment. Lengthy tables which do not fit in textwidth should

Table 2 Example of a lengthy table which is set to full textwidth

Project	Element 1 ¹			Element 2 ²		
	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 4	500 A	961	922 ± 10	900 A	1268	1092 ± 40

Note: This is an example of table footnote. This is an example of table footnote this is an example of table footnote this is an example of table footnote.

¹Example for a first table footnote.

²Example for a second table footnote.

be set as rotated table. For this, you need to use `\begin{sidewaystable} ... \end{sidewaystable}` instead of `\begin{table*} ... \end{table*}` environment. This environment puts tables rotated to single column width. For tables rotated to double column width, use `\begin{sidewaystable*} ... \end{sidewaystable*}`.

6 Figures

As per the L^AT_EX standards you need to use eps images for L^AT_EX compilation and pdf/jpg/png images for PDFLaTeX compilation. This is one of the major difference between L^AT_EX and PDFLaTeX. Each image should be from a single input .eps/vector image file. Avoid using subfigures. The command for inserting images for L^AT_EX and PDFLaTeX can be generalized. The package used to insert images in LaTeX/PDFLaTeX is the graphicx package. Figures can be inserted via the normal figure environment as shown in the below example:

```
\begin{figure}[<placement-specifier>]
\centering
\includegraphics{<eps-file>}
\caption{<figure-caption>}\label{<figure-label>}
\end{figure}
```



Fig. 1 This is a widefig. This is an example of long caption this is an example of long caption this is an example of long caption this is an example of long caption

In case of double column layout, the above format puts figure caption-s/images to single column width. To get spanned images, we need to provide `\begin{figure*} ... \end{figure*}`.

Table 3 Tables which are too long to fit, should be written using the “sidewaystable” environment as shown here

Projectile	Element 1 ¹			Element ²		
	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 4	500 A	961	922 ± 10	900 A	1268	1092 ± 40
Element 5	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 6	500 A	961	922 ± 10	900 A	1268	1092 ± 40

Note: This is an example of table footnote this is an example of table footnote.

¹This is an example of table footnote.

For sample purpose, we have included the width of images in the optional argument of `\includegraphics` tag. Please ignore this.

7 Algorithms, Program codes and Listings

Packages `algorithm`, `algorithmicx` and `algpseudocode` are used for setting algorithms in L^AT_EX using the format:

```
\begin{algorithm}
\caption{<alg-caption>}\label{<alg-label>}
\begin{algorithmic}[1]
. . .
\end{algorithmic}
\end{algorithm}
```

You may refer above listed package documentations for more details before setting `algorithm` environment. For program codes, the “program” package is required and the command to be used is `\begin{program} ... \end{program}`. A fast exponentiation procedure:

```
begin
  for  $i := 1$  to 10 step 1 do
     $\text{expt}(2, i)$ ;
     $\text{newline}()$  od           Comments will be set flush to the right margin
where
proc  $\text{expt}(x, n) \equiv$ 
   $z := 1$ ;
  do if  $n = 0$  then exit fi;
  do if  $\text{odd}(n)$  then exit fi;
  comment: This is a comment statement;
   $n := n/2$ ;  $x := x * x$  od;
  { $n > 0$ };
   $n := n - 1$ ;  $z := z * x$  od;
  print( $z$ ).
end
```

Similarly, for listings, use the `listings` package. `\begin{lstlisting} ... \end{lstlisting}` is used to set environments similar to `verbatim` environment. Refer to the `listings` package documentation for more details.

Algorithm 1 Calculate $y = x^n$

Require: $n \geq 0 \vee x \neq 0$ **Ensure:** $y = x^n$

```

1:  $y \leftarrow 1$ 
2: if  $n < 0$  then
3:    $X \leftarrow 1/x$ 
4:    $N \leftarrow -n$ 
5: else
6:    $X \leftarrow x$ 
7:    $N \leftarrow n$ 
8: end if
9: while  $N \neq 0$  do
10:  if  $N$  is even then
11:     $X \leftarrow X \times X$ 
12:     $N \leftarrow N/2$ 
13:  else[ $N$  is odd]
14:     $y \leftarrow y \times X$ 
15:     $N \leftarrow N - 1$ 
16:  end if
17: end while

```

```

for  $i := \maxint$  to 0 do
begin
{ do nothing }
end;
Write('Case_ insensitive_ ');
Write('Pascal_keywords. ');

```

8 Cross referencing

Environments such as figure, table, equation and align can have a label declared via the `\label{#label}` command. For figures and table environments use the `\label{}` command inside or just below the `\caption{}` command. You can then use the `\ref{#label}` command to cross-reference them. As an example, consider the label declared for Figure 1 which is `\label{fig1}`. To cross-reference it, use the command `Figure \ref{fig1}`, for which it comes up as “Figure 1”.

To reference line numbers in an algorithm, consider the label declared for the line number 2 of Algorithm 1 is `\label{algn2}`. To cross-reference it, use the command `\ref{algn2}` for which it comes up as line 2 of Algorithm 1.

8.1 Details on reference citations

Standard L^AT_EX permits only numerical citations. To support both numerical and author-year citations this template uses `natbib` L^AT_EX package. For style guidance please refer to the template user manual.

Here is an example for `\cite{...}`: [1]. Another example for `\citep{...}`: [2]. For author-year citation mode, `\cite{...}` prints Jones et al. (1990) and `\citep{...}` prints (Jones et al., 1990).

All cited bib entries are printed at the end of this article: [3]-[11].

9 Examples for theorem like environments

For theorem like environments, we require `amsthm` package. There are three types of predefined theorem styles exists—`thmstyleone`, `thmstyletwo` and `thmstylethree`

<code>thmstyleone</code>	Numbered, theorem head in bold font and theorem text in italic style
<code>thmstyletwo</code>	Numbered, theorem head in roman font and theorem text in italic style
<code>thmstylethree</code>	Numbered, theorem head in bold font and theorem text in roman style

For mathematics journals, theorem styles can be included as shown in the following examples:

Theorem 1 (Theorem subhead) *Example theorem text. Example theorem text.*

Sample body text. Sample body text.

Proposition 2 *Example proposition text. Example proposition text.*

Sample body text. Sample body text.

Example 1 Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam

ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.

Sample body text. Sample body text.

Remark 1 Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.

Sample body text. Sample body text.

Definition 1 (Definition sub head) Example definition text. Example definition text.

Additionally a predefined “proof” environment is available: `\begin{proof} ... \end{proof}`. This prints a “Proof” head in italic font style and the “body text” in roman font style with an open square at the end of each proof environment.

Proof Example for proof text. □

Sample body text. Sample body text.

Proof of Theorem 1 Example for proof text. □

For a quote environment, use `\begin{quote}... \end{quote}`

Quoted text example. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Sample body text. Sample body text (refer Figure 1). Sample body text. Sample body text. Sample body text (refer Table 3).

10 Methods

Topical subheadings are allowed. Authors must ensure that their Methods section includes adequate experimental and characterization data necessary for others in the field to reproduce their work. Authors are encouraged to include RIIIDs where appropriate.

Ethical approval declarations (only required where applicable) Any article reporting experiment/s carried out on (i) live vertebrate (or higher invertebrates), (ii) humans or (iii) human samples must include an unambiguous statement within the methods section that meets the following requirements:

1. Approval: a statement which confirms that all experimental protocols were approved by a named institutional and/or licensing committee. Please identify the approving body in the methods section
2. Accordance: a statement explicitly saying that the methods were carried out in accordance with the relevant guidelines and regulations
3. Informed consent (for experiments involving humans or human tissue samples): include a statement confirming that informed consent was obtained from all participants and/or their legal guardian/s

If your manuscript includes potentially identifying patient/participant information, or if it describes human transplantation research, or if it reports results of a clinical trial then additional information will be required. Please visit (<https://www.nature.com/nature-research/editorial-policies>) for Nature Portfolio journals, (<https://www.springer.com/gp/authors-editors/journal-author/journal-author-helpdesk/publishing-ethics/14214>) for Springer Nature journals, or (<https://www.biomedcentral.com/getpublished/editorial-policies#ethics+and+consent>) for BMC.

11 Discussions

Discussions should be brief and focused. In some disciplines use of Discussion or ‘Conclusion’ is interchangeable. It is not mandatory to use both. Some journals prefer a section ‘Results and Discussion’ followed by a section ‘Conclusion’. Please refer to Journal-level guidance for any specific requirements.

12 Conclusions

Conclusions may be used to restate your hypothesis or research question, restate your major findings, explain the relevance and the added value of your work, highlight any limitations of your study, describe future directions for research and recommendations.

In some disciplines use of Discussion or ‘Conclusion’ is interchangeable. It is not mandatory to use both. Please refer to Journal-level guidance for any specific requirements.

Supplementary information. If your article has accompanying supplementary file/s please state so here.

Authors reporting data from electrophoretic gels and blots should supply the full unprocessed scans for key as part of their Supplementary information. This may be requested by the editorial team/s if it is missing.

Please refer to Journal-level guidance for any specific requirements.

Acknowledgments

Acknowledgments are not compulsory. Where included they should be brief. Grant or contribution numbers may be acknowledged. The form should be:

This work was supported by *(No. *) and *(No. *).

Please refer to Journal-level guidance for any specific requirements.

Declarations of Conflict of Interest

The authors declared that they have no conflicts of interest to this work.

Editorial Policies for:

Springer journals and proceedings:

<https://www.springer.com/gp/editorial-policies>

Nature Portfolio journals:

<https://www.nature.com/nature-research/editorial-policies>

Scientific Reports:

<https://www.nature.com/srep/journal-policies/editorial-policies>

BMC journals:

<https://www.biomedcentral.com/getpublished/editorial-policies>

Appendix A Section title of first appendix

An appendix contains supplementary information that is not an essential part of the text itself but which may be helpful in providing a more comprehensive understanding of the research problem or it is information that is too cumbersome to be included in the body of the paper.

References

- [1] B. Ran, D. E. Boyce. *Modeling Dynamic Transportation Network*, Berlin, Germany: Springer-Verlag, pp. 69-83,1996. (Book style)
- [2] G. O. Young. Synthetic structure of industrial plastics. *Plastics*, 2nd ed., J. Peters, Ed., New York, USA: McGraw-Hill, pp. 15-64, 1964. (Book style with paper title and editor)

- [3] L. C. Su, F. Zhu. Design of a novel omnidirectional stereo vision system. *Acta Automatica Sinica*, vol. 32, no. 1, pp. 67-72, 2006. (in Chinese) (Periodical style)
- [4] R. Roychoudhury, S. Bandyopadhyay, K. Paul. Adistributed mechanism for topology discovery in ad hoc wireless networks using mobile agents. In *Proceedings of IEEE First Annual Workshop on Mobile and Ad hoc Networking and Computing*, IEEE, Piscataway, USA, pp. 145-146,2000. (Published Conference Proceedings style)
- [5] O. Hryniewicz. An evaluation of the reliability of complex systems using shadowed sets and fuzzy lifetime data. *International Journal of Automation and Computing*, to be published.
- [6] W. Zhang. Reinforcement Learning for Job-shop Scheduling, Ph. D. dissertation, Oregon State University, USA,1996. (Dissertation style)
- [7] IEEE Criteria for Class IE Electric Systems, IEEE Standard 308, 1969. (Standards style)
- [8] R. C. Reily, J. L. Mack. The Self-organization of Spatially Invariant Representations, Technical Report PDP. CNS.92.5, Department of Psychology, Mellon University, USA, 1993. (Report style)
- [9] J. P. Wilkinson. Nonlinear Resonant Circuit Devices, U.S. Patent 362412, July 1990. (Patent style)
- [10] J. Jones. *Networks*, 2nd ed., [Online], Available: <http://www.atm.com>, May 10, 1991.
- [11] R. J. Vidmar. On the use of atmospheric plasmas as electromagnetic reflectors. *IEEE Transactions on Plasma Science*, vol. 21, no. 3, pp. 945-999, [Online], Available: <http://www.halcyon.com>, July 20-25, 1999.



First
author

First Author and the other authors may include biographies at the end of the paper. The author's educational background is listed. The degrees should be listed with type of degree in what field, which institution, city, state or country, and the year degree was earned. Listing military and work experience, including summer and fellowship jobs at the end of this paragraph. The current job must have a location.

The second paragraph uses the pronoun of the person (he or she) and not the author's last name. Information concerning previous publications may be included. Try not to list more than three books or published articles. The format for listing publishers of a book within the biography is: title of book (city, state: publisher name, year) similar to a reference. Current and previous research interests should be stated.

The third paragraph begins with the author's title and last name (e.g., Dr. Smith, Prof. Jones, Mr. Kajor, Ms. Hunter). List any memberships in professional societies. Finally, list any awards and work for committees and publications. If a photograph (above 600 dpi) is provided, the biography will be indented around it. The photograph is placed at the top left of the biography. Personal hobbies will be deleted from the biography. Please see the following example for more details.

E-mail: mir@ia.ac.cn (Corresponding author)

ORCID iD: 0000-0000-0000-0000



Second
author

Second Author received the B.Sc. and M.Sc. degrees in mechanical engineering from *** University, China in 1977 and 1984, respectively, and the Ph.D. degree in computing from *** University, UK in 1992. In 1994, he was a faculty member at *** University, China and in 1996 at *** University, USA. Currently, he is a professor in Department of Information System Engineering at *** University, China. Prof. Author received research award from Science Foundation, and the Best Paper Award of the IS International Conference in 2000 and 2006, respectively. He is a member of SICE, IEE and IEEE.

His research interests include robotics, feedback control systems, and control theory.

E-mail: mir@ia.ac.cn

ORCID iD: 0000-0000-0000-0000



Third
author

Third Author received the B.Sc. and M.Sc. degrees in mechanical engineering from *** University, China in 1977 and 1984, respectively, and the Ph.D. degree in computing from *** University, UK in 1992. In 1994, he was a faculty member at *** University, China and in 1996 at *** University, USA. Currently, he is a professor in Department of Information System Engineering at *** University, China. Prof. Author received research award from Science Foundation, and the Best Paper Award of the IS International Conference in 2000 and 2006, respectively. He is a member of SICE, IEE and IEEE.

His research interests include robotics, feedback control systems, and control theory.

E-mail: mir@ia.ac.cn

ORCID iD: 0000-0000-0000-0000